

---

**sanic***restfulapi*  
***Release 0.0.8***

**Aug 14, 2023**



---

## Contents

---

|          |                                           |           |
|----------|-------------------------------------------|-----------|
| <b>1</b> | <b>Installation</b>                       | <b>3</b>  |
| <b>2</b> | <b>Quickstart</b>                         | <b>5</b>  |
| 2.1      | A Minimal API . . . . .                   | 5         |
| 2.2      | Resourceful Routing . . . . .             | 6         |
| 2.3      | Endpoints . . . . .                       | 7         |
| 2.4      | Argument Parsing . . . . .                | 7         |
| 2.5      | Data Formatting . . . . .                 | 8         |
| 2.6      | Full Example . . . . .                    | 8         |
| <b>3</b> | <b>Request Parsing</b>                    | <b>13</b> |
| 3.1      | Basic Arguments . . . . .                 | 13        |
| 3.2      | Required Arguments . . . . .              | 14        |
| 3.3      | Multiple Values & Lists . . . . .         | 14        |
| 3.4      | Other Destinations . . . . .              | 14        |
| 3.5      | Argument Locations . . . . .              | 14        |
| 3.6      | Multiple Locations . . . . .              | 15        |
| 3.7      | Parser Inheritance . . . . .              | 15        |
| 3.8      | Error Handling . . . . .                  | 16        |
| 3.9      | Error Messages . . . . .                  | 16        |
| <b>4</b> | <b>Output Fields</b>                      | <b>19</b> |
| 4.1      | Basic Usage . . . . .                     | 19        |
| 4.2      | Renaming Attributes . . . . .             | 20        |
| 4.3      | Default Values . . . . .                  | 20        |
| 4.4      | Custom Fields & Multiple Values . . . . . | 20        |
| 4.5      | Url & Other Concrete Fields . . . . .     | 21        |
| 4.6      | Complex Structures . . . . .              | 21        |
| 4.7      | List Field . . . . .                      | 22        |
| 4.8      | Advanced : Nested Field . . . . .         | 22        |
| <b>5</b> | <b>Extending Sanic-RESTful-API</b>        | <b>25</b> |
| 5.1      | Content Negotiation . . . . .             | 25        |
| 5.2      | Custom Fields & Inputs . . . . .          | 25        |
| 5.3      | Response Formats . . . . .                | 27        |
| 5.4      | Resource Method Decorators . . . . .      | 27        |
| 5.5      | Custom Error Handlers . . . . .           | 28        |

|          |                                                         |           |
|----------|---------------------------------------------------------|-----------|
| <b>6</b> | <b>Intermediate Usage</b>                               | <b>31</b> |
| 6.1      | Project Structure . . . . .                             | 31        |
| 6.2      | Use With Blueprints . . . . .                           | 32        |
| 6.3      | Full Parameter Parsing Example . . . . .                | 32        |
| 6.4      | Passing Constructor Parameters Into Resources . . . . . | 35        |

This part of the documentation will show you how to get started in using Sanic-RESTful-API with Sanic.



# CHAPTER 1

---

## Installation

---

Install Sanic-RESTful-API with `pip`

```
pip install sanic-restful-api
```

The development version can be downloaded from [its page at GitHub](#).

```
git clone https://github.com/linzhiming0826/sanic-restful.git
cd sanic-restful
python setup.py develop
```

Sanic-RESTful-API has the following dependencies (which will be automatically installed if you use `pip`):

- [Sanic](#) version 18.12.0 or greater

Sanic-RESTful-API requires Python version 3.6 or greater



It's time to write your first REST API. This guide assumes you have a working understanding of [Sanic](#), and that you have already installed both Sanic and Sanic-RESTful-API. If not, then follow the steps in the [Installation](#) section.

## 2.1 A Minimal API

A minimal Sanic-RESTful-API API looks like this:

```
from sanic import Sanic
from sanic_restful_api import Resource, Api

app = Sanic(__name__)
api = Api(app)

class HelloWorld(Resource):
    async def get(self):
        return {'hello': 'world'}

api.add_resource(HelloWorld, '/')

if __name__ == '__main__':
    app.run(debug=True)
```

Save this as `api.py` and run it using your Python interpreter. mode to provide code reloading and better error messages.

```
$ python api.py
* Running on http://127.0.0.1:5000/
* Restarting with reloader
```

**Warning:** Debug mode should never be used in a production environment!

Now open up a new prompt to test out your API using curl

```
$ curl http://127.0.0.1:5000/
{"hello": "world"}
```

## 2.2 Resourceful Routing

The main building block provided by Sanic-RESTful-API are resources. giving you easy access to multiple HTTP methods just by defining methods on your resource. A basic CRUD resource for a todo application (of course) looks like this:

```
from sanic import Sanic, request
from sanic_restful_api import Resource, Api

app = Sanic(__name__)
api = Api(app)

todos = {}

class TodoSimple(Resource):
    async def get(self, todo_id):
        return {todo_id: todos[todo_id]}

    async def put(self, todo_id):
        todos[todo_id] = request.form['data']
        return {todo_id: todos[todo_id]}

api.add_resource(TodoSimple, '/<string:todo_id>')

if __name__ == '__main__':
    app.run(debug=True)
```

You can try it like this:

```
$ curl http://localhost:5000/todo1 -d "data=Remember the milk" -X PUT
{"todo1": "Remember the milk"}
$ curl http://localhost:5000/todo1
{"todo1": "Remember the milk"}
$ curl http://localhost:5000/todo2 -d "data=Change my brakepads" -X PUT
{"todo2": "Change my brakepads"}
$ curl http://localhost:5000/todo2
{"todo2": "Change my brakepads"}
```

Or from python if you have the requests library installed:

```
>>> from requests import put, get
>>> put('http://localhost:5000/todo1', data={'data': 'Remember the milk'}).json()
{'todo1': 'Remember the milk'}
>>> get('http://localhost:5000/todo1').json()
{'todo1': 'Remember the milk'}
>>> put('http://localhost:5000/todo2', data={'data': 'Change my brakepads'}).json()
{'todo2': 'Change my brakepads'}
>>> get('http://localhost:5000/todo2').json()
{'todo2': 'Change my brakepads'}
```

Sanic-RESTful-API understands multiple kinds of return values from view methods. Similar to Sanic, you can return any iterable and it will be converted into a response, including raw Sanic response objects. Sanic-RESTful-API also

support setting the response code and response headers using multiple return values, as shown below:

```
class Todo1(Resource):
    async def get(self):
        # Default to 200 OK
        return {'task': 'Hello world'}

class Todo2(Resource):
    async def get(self):
        # Set the response code to 201
        return {'task': 'Hello world'}, 201

class Todo3(Resource):
    async def get(self):
        # Set the response code to 201 and return custom headers
        return {'task': 'Hello world'}, 201, {'Etag': 'some-opaque-string'}
```

## 2.3 Endpoints

Many times in an API, your resource will have multiple URLs. You can pass multiple URLs to the `add_resource()` method on the `Api` object. Each one will be routed to your `Resource`

```
api.add_resource(HelloWorld,
    '/',
    '/hello')
```

You can also match parts of the path as variables to your resource methods.

```
api.add_resource(Todo,
    '/todo/<int:todo_id>', endpoint='todo_ep')
```

## 2.4 Argument Parsing

While Sanic provides easy access to request data (i.e. `querystring` or POST form encoded data), it's still a pain to validate form data. Sanic-RESTful has built-in support for request data validation using a library similar to `argparse`.

```
from sanic_restful_api import reqparse

parser = reqparse.RequestParser()
parser.add_argument('rate', type=int, help='Rate to charge for this resource')
args = parser.parse_args()
```

**Note:** Unlike the `argparse` module, `reqparse.RequestParser.parse_args()` returns a Python dictionary instead of a custom data structure.

Using the `reqparse` module also gives you sane error messages for free. If an argument fails to pass validation, Sanic-RESTful will respond with a 400 Bad Request and a response highlighting the error.

```
$ curl -d 'rate=foo' http://127.0.0.1:5000/todos
{'status': 400, 'message': 'foo cannot be converted to int'}
```

The `inputs` module provides a number of included common conversion functions such as `inputs.date()` and `inputs.url()`.

Calling `parse_args` with `strict=True` ensures that an error is thrown if the request includes arguments your parser does not define.

```
args = parser.parse_args(strict=True)
```

## 2.5 Data Formatting

By default, all fields in your return iterable will be rendered as-is. While this works great when you're just dealing with Python data structures, it can become very frustrating when working with objects. To solve this problem, Sanic-RESTful provides the `fields` module and the `marshal_with()` decorator. Similar to the Django ORM and WTForm, you use the `fields` module to describe the structure of your response.

```
from sanic_restful_api import fields, marshal_with

resource_fields = {
    'task': fields.String,
    'uri': fields.Url('todo_ep')
}

class TodoDao(object):
    def __init__(self, todo_id, task):
        self.todo_id = todo_id
        self.task = task

        # This field will not be sent in the response
        self.status = 'active'

class Todo(Resource):
    @marshal_with(resource_fields)
    async def get(self, **kwargs):
        return TodoDao(todo_id='my_todo', task='Remember the milk')
```

The above example takes a python object and prepares it to be serialized. The `marshal_with()` decorator will apply the transformation described by `resource_fields`. The only field extracted from the object is `task`. The `fields.Url` field is a special field that takes an endpoint name and generates a URL for that endpoint in the response. Many of the field types you need are already included. See the `fields` guide for a complete list.

## 2.6 Full Example

Save this example in `api.py`

```
from sanic import Sanic
from sanic_restful_api import reqparse, abort, Api, Resource

app = Sanic(__name__)
api = Api(app)

TODOs = {
    'todo1': {'task': 'build an API'},
    'todo2': {'task': '?????'},
```

(continues on next page)

(continued from previous page)

```

    'todo3': {'task': 'profit!'},
}

def abort_if_todo_doesnt_exist(todo_id):
    if todo_id not in TODOS:
        abort(404, message="Todo {} doesn't exist".format(todo_id))

parser = reqparse.RequestParser()
parser.add_argument('task')

# Todo
# shows a single todo item and lets you delete a todo item
class Todo(Resource):
    async def get(self, todo_id):
        abort_if_todo_doesnt_exist(todo_id)
        return TODOS[todo_id]

    async def delete(self, todo_id):
        abort_if_todo_doesnt_exist(todo_id)
        del TODOS[todo_id]
        return '', 204

    async def put(self, todo_id):
        args = parser.parse_args()
        task = {'task': args['task']}
        TODOS[todo_id] = task
        return task, 201

# TodoList
# shows a list of all todos, and lets you POST to add new tasks
class TodoList(Resource):
    async def get(self):
        return TODOS

    async def post(self):
        args = parser.parse_args()
        todo_id = int(max(TODOS.keys()).lstrip('todo')) + 1
        todo_id = 'todo%i' % todo_id
        TODOS[todo_id] = {'task': args['task']}
        return TODOS[todo_id], 201

##
## Actually setup the Api resource routing here
##
api.add_resource(TodoList, '/todos')
api.add_resource(Todo, '/todos/<todo_id>')

if __name__ == '__main__':
    app.run(debug=True)

```

Example usage

```
$ python api.py
* Running on http://127.0.0.1:5000/
* Restarting with reloader
```

### GET the list

```
$ curl http://localhost:5000/todos
{"todo1": {"task": "build an API"}, "todo3": {"task": "profit!"}, "todo2": {"task": "?
↪????"}}}
```

### GET a single task

```
$ curl http://localhost:5000/todos/todo3
{"task": "profit!"}
```

### DELETE a task

```
$ curl http://localhost:5000/todos/todo2 -X DELETE -v

> DELETE /todos/todo2 HTTP/1.1
> User-Agent: curl/7.19.7 (universal-apple-darwin10.0) libcurl/7.19.7 OpenSSL/0.9.8l_
↪zlib/1.2.3
> Host: localhost:5000
> Accept: */*
>
* HTTP 1.0, assume close after body
< HTTP/1.0 204 NO CONTENT
< Content-Type: application/json
< Content-Length: 0
< Server: Werkzeug/0.8.3 Python/2.7.2
< Date: Mon, 01 Oct 2012 22:10:32 GMT
```

### Add a new task

```
$ curl http://localhost:5000/todos -d "task=something new" -X POST -v

> POST /todos HTTP/1.1
> User-Agent: curl/7.19.7 (universal-apple-darwin10.0) libcurl/7.19.7 OpenSSL/0.9.8l_
↪zlib/1.2.3
> Host: localhost:5000
> Accept: */*
> Content-Length: 18
> Content-Type: application/x-www-form-urlencoded
>
* HTTP 1.0, assume close after body
< HTTP/1.0 201 CREATED
< Content-Type: application/json
< Content-Length: 25
< Server: Werkzeug/0.8.3 Python/2.7.2
< Date: Mon, 01 Oct 2012 22:12:58 GMT
<
* Closing connection #0
{"task": "something new"}
```

### Update a task

```
$ curl http://localhost:5000/todos/todo3 -d "task=something different" -X PUT -v

> PUT /todos/todo3 HTTP/1.1
> Host: localhost:5000
> Accept: */*
> Content-Length: 20
> Content-Type: application/x-www-form-urlencoded
>
* HTTP 1.0, assume close after body
< HTTP/1.0 201 CREATED
< Content-Type: application/json
< Content-Length: 27
< Server: Werkzeug/0.8.3 Python/2.7.3
< Date: Mon, 01 Oct 2012 22:13:00 GMT
<
* Closing connection #0
{"task": "something different"}
```



## CHAPTER 3

---

### Request Parsing

---

**Warning:** The whole request parser part of Sanic-RESTful is slated for removal and will be replaced by documentation on how to integrate with other packages that do the input/output stuff better (such as [marshmallow](#)). This means that it will be maintained until 2.0 but consider it deprecated. Don't worry, if you have code using that now and wish to continue doing so, it's not going to go away any time too soon.

Sanic-RESTful's request parsing interface, `reqparse`, is modeled after the [argparse](#) interface. It's designed to provide simple and uniform access to any variable on the `sanic.Request` object in Sanic.

### 3.1 Basic Arguments

Here's a simple example of the request parser. It looks for two arguments in the `sanic.Request.values` dict: an integer and a string

```
from sanic_restful_api import reqparse

parser = reqparse.RequestParser()
parser.add_argument('rate', type=int, help='Rate cannot be converted')
parser.add_argument('name')
args = parser.parse_args()
```

---

**Note:** The default argument type is a unicode string. This will be `str` in python3 and `unicode` in python2.

---

If you specify the `help` value, it will be rendered as the error message when a type error is raised while parsing it. If you do not specify a help message, the default behavior is to return the message from the type error itself. See error-messages for more details.

By default, arguments are **not** required. Also, arguments supplied in the request that are not part of the `RequestParser` will be ignored.

Also note: Arguments declared in your request parser but not set in the request itself will default to `None`.

## 3.2 Required Arguments

To require a value be passed for an argument, just add `required=True` to the call to `add_argument()`.

```
parser.add_argument('name', required=True,
help="Name cannot be blank!")
```

## 3.3 Multiple Values & Lists

If you want to accept multiple values for a key as a list, you can pass `action='append'`

```
parser.add_argument('name', action='append')
```

This will let you make queries like

```
curl http://api.example.com -d "name=bob" -d "name=sue" -d "name=joe"
```

And your args will look like this

```
args = parser.parse_args()
args['name']      # ['bob', 'sue', 'joe']
```

## 3.4 Other Destinations

If for some reason you'd like your argument stored under a different name once it's parsed, you can use the `dest` keyword argument.

```
parser.add_argument('name', dest='public_name')

args = parser.parse_args()
args['public_name']
```

## 3.5 Argument Locations

By default, the `RequestParser` tries to parse values from `sanic.Request.values`, and `sanic.Request.json`.

Use the `location` argument to `add_argument()` to specify alternate locations to pull the values from. Any variable on the `sanic.Request` can be used. For example:

```
# Look only in the POST body
parser.add_argument('name', type=int, location='form')

# Look only in the querystring
parser.add_argument('PageSize', type=int, location='args')
```

(continues on next page)

(continued from previous page)

```
# From the request headers
parser.add_argument('User-Agent', location='headers')

# From http cookies
parser.add_argument('session_id', location='cookies')

# From file uploads
parser.add_argument('picture', type=werkzeug.datastructures.FileStorage, location=
    ↪ 'files')
```

**Note:** Only use `type=list` when `location='json'`.

## 3.6 Multiple Locations

Multiple argument locations can be specified by passing a list to `location`:

```
parser.add_argument('text', location=['headers', 'values'])
```

When multiple locations are specified, the arguments from all locations specified are combined into a single `MultiDict`. The last location listed takes precedence in the result set.

If the argument location list includes the `headers` location the argument names will no longer be case insensitive and must match their title case names (see `str.title()`). Specifying `location='headers'` (not as a list) will retain case insensitivity.

## 3.7 Parser Inheritance

Often you will make a different parser for each resource you write. The problem with this is if parsers have arguments in common. Instead of rewriting arguments you can write a parent parser containing all the shared arguments and then extend the parser with `copy()`. You can also overwrite any argument in the parent with `replace_argument()`, or remove it completely with `remove_argument()`. For example:

```
from sanic_restful_api import reqparse

parser = reqparse.RequestParser()
parser.add_argument('foo', type=int)

parser_copy = parser.copy()
parser_copy.add_argument('bar', type=int)

# parser_copy has both 'foo' and 'bar'

parser_copy.replace_argument('foo', required=True, location='json')
# 'foo' is now a required str located in json, not an int as defined
# by original parser

parser_copy.remove_argument('foo')
# parser_copy no longer has 'foo' argument
```

## 3.8 Error Handling

The default way errors are handled by the RequestParser is to abort on the first error that occurred. This can be beneficial when you have arguments that might take some time to process. However, often it is nice to have the errors bundled together and sent back to the client all at once. This behavior can be specified either at the Sanic application level or on the specific RequestParser instance. To invoke a RequestParser with the bundling errors option, pass in the argument `bundle_errors`. For example

```
from sanic_restful_api import reqparse

parser = reqparse.RequestParser(bundle_errors=True)
parser.add_argument('foo', type=int, required=True)
parser.add_argument('bar', type=int, required=True)

# If a request comes in not containing both 'foo' and 'bar', the error that
# will come back will look something like this.

{
    "message": {
        "foo": "foo error message",
        "bar": "bar error message"
    }
}

# The default behavior would only return the first error

parser = RequestParser()
parser.add_argument('foo', type=int, required=True)
parser.add_argument('bar', type=int, required=True)

{
    "message": {
        "foo": "foo error message"
    }
}
```

The application configuration key is “BUNDLE\_ERRORS”. For example

```
from sanic import Sanic

app = Sanic(__name__)
app.config['BUNDLE_ERRORS'] = True
```

**Warning:** BUNDLE\_ERRORS is a global setting that overrides the `bundle_errors` option in individual RequestParser instances.

## 3.9 Error Messages

Error messages for each field may be customized using the `help` parameter to `Argument` (and also `RequestParser.add_argument`).

If no `help` parameter is provided, the error message for the field will be the string representation of the type error itself. If `help` is provided, then the error message will be the value of `help`.

help may include an interpolation token, {error\_msg}, that will be replaced with the string representation of the type error. This allows the message to be customized while preserving the original error

```
from sanic_restful_api import reqparse

parser = reqparse.RequestParser()
parser.add_argument(
    'foo',
    choices=('one', 'two'),
    help='Bad choice: {error_msg}'
)

# If a request comes in with a value of "three" for `foo`:
{
    "message": {
        "foo": "Bad choice: three is not a valid choice",
    }
}
```



# CHAPTER 4

---

## Output Fields

---

Sanic-RESTful-API provides an easy way to control what data you actually render in your response. With the `fields` module, you can use whatever objects (ORM models/custom classes/etc.) you want in your resource. `fields` also lets you format and filter the response so you don't have to worry about exposing internal data structures.

It's also very clear when looking at your code what data will be rendered and how it will be formatted.

### 4.1 Basic Usage

You can define a dict or `OrderedDict` of fields whose keys are names of attributes or keys on the object to render, and whose values are a class that will format & return the value for that field. This example has three fields: two are `String` and one is a `DateTime`, formatted as an RFC 822 date string (ISO 8601 is supported as well)

```
from sanic_restful_api import Resource, fields, marshal_with

resource_fields = {
    'name': fields.String,
    'address': fields.String,
    'date_updated': fields.DateTime(dt_format='rfc822'),
}

class Todo(Resource):
    @marshal_with(resource_fields, envelope='resource')
    async def get(self, **kwargs):
        return db_get_todo()  # Some function that queries the db
```

This example assumes that you have a custom database object (`todo`) that has attributes `name`, `address`, and `date_updated`. Any additional attributes on the object are considered private and won't be rendered in the output. An optional `envelope` keyword argument is specified to wrap the resulting output.

The decorator `marshal_with` is what actually takes your data object and applies the field filtering. The marshalling can work on single objects, dicts, or lists of objects.

**Note:** `marshal_with` is a convenience decorator, that is functionally equivalent to

```
class Todo(Resource):
    async def get(self, **kwargs):
        return marshal(db_get_todo(), resource_fields), 200
```

This explicit expression can be used to return HTTP status codes other than 200 along with a successful response (see `abort()` for errors).

## 4.2 Renaming Attributes

Often times your public facing field name is different from your internal field name. To configure this mapping, use the `attribute` keyword argument.

```
fields = {
    'name': fields.String(attribute='private_name'),
    'address': fields.String,
}
```

A lambda (or any callable) can also be specified as the `attribute`

```
fields = {
    'name': fields.String(attribute=lambda x: x._private_name),
    'address': fields.String,
}
```

Nested properties can also be accessed with `attribute`

```
fields = {
    'name': fields.String(attribute='people_list.0.person_dictionary.name'),
    'address': fields.String,
}
```

## 4.3 Default Values

If for some reason your data object doesn't have an attribute in your fields list, you can specify a default value to return instead of `None`.

```
fields = {
    'name': fields.String(default='Anonymous User'),
    'address': fields.String,
}
```

## 4.4 Custom Fields & Multiple Values

Sometimes you have your own custom formatting needs. You can subclass the `fields.Raw` class and implement the `format` function. This is especially useful when an attribute stores multiple pieces of information. e.g. a bit-field whose individual bits represent distinct values. You can use fields to multiplex a single attribute to multiple output values.

This example assumes that bit 1 in the `flags` attribute signifies a “Normal” or “Urgent” item, and bit 2 signifies “Read” or “Unread”. These items might be easy to store in a bitfield, but for a human readable output it’s nice to convert them to separate string fields.

```
class UrgentItem(fields.Raw):
    def format(self, value):
        return "Urgent" if value & 0x01 else "Normal"

class UnreadItem(fields.Raw):
    def format(self, value):
        return "Unread" if value & 0x02 else "Read"

fields = {
    'name': fields.String,
    'priority': UrgentItem(attribute='flags'),
    'status': UnreadItem(attribute='flags'),
}
```

## 4.5 Url & Other Concrete Fields

Sanic-RESTful-API includes a special field, `fields.Url`, that synthesizes a uri for the resource that’s being requested. This is also a good example of how to add data to your response that’s not actually present on your data object.:

```
class RandomNumber(fields.Raw):
    def output(self, key, obj):
        return random.random()

fields = {
    'name': fields.String,
    # todo_resource is the endpoint name when you called api.add_resource()
    'uri': fields.Url('todo_resource'),
    'random': RandomNumber,
}
```

By default `fields.Url` returns a relative uri. To generate an absolute uri that includes the scheme, hostname and port, pass the keyword argument `absolute=True` in the field declaration. To override the default scheme, pass the `scheme` keyword argument:

```
fields = {
    'uri': fields.Url('todo_resource', absolute=True)
    'https_uri': fields.Url('todo_resource', absolute=True, scheme='https')
}
```

## 4.6 Complex Structures

You can have a flat structure that `marshal()` will transform to a nested structure

```
>>> from sanic_restful_api import fields, marshal
>>> import json
>>>
>>> resource_fields = {'name': fields.String}
```

(continues on next page)

(continued from previous page)

```
>>> resource_fields['address'] = {}
>>> resource_fields['address']['line 1'] = fields.String(attribute='addr1')
>>> resource_fields['address']['line 2'] = fields.String(attribute='addr2')
>>> resource_fields['address']['city'] = fields.String
>>> resource_fields['address']['state'] = fields.String
>>> resource_fields['address']['zip'] = fields.String
>>> data = {'name': 'bob', 'addr1': '123 fake street', 'addr2': '', 'city': 'New York'
↪, 'state': 'NY', 'zip': '10468'}
>>> json.dumps(marshal(data, resource_fields))
'{"name": "bob", "address": {"line 1": "123 fake street", "line 2": "", "state": "NY",
↪ "zip": "10468", "city": "New York"}}'
```

**Note:** The address field doesn't actually exist on the data object, but any of the sub-fields can access attributes directly from the object as if they were not nested.

## 4.7 List Field

You can also unmarshal fields as lists

```
>>> from sanic_restful_api import fields, marshal
>>> import json
>>>
>>> resource_fields = {'name': fields.String, 'first_names': fields.List(fields.
↪String)}
>>> data = {'name': 'Bougnazal', 'first_names' : ['Emile', 'Raoul']}
>>> json.dumps(marshal(data, resource_fields))
>>> '{"first_names": ["Emile", "Raoul"], "name": "Bougnazal}"'
```

## 4.8 Advanced : Nested Field

While nesting fields using dicts can turn a flat data object into a nested response, you can use Nested to unmarshal nested data structures and render them appropriately.

```
>>> from sanic_restful_api import fields, marshal
>>> import json
>>>
>>> address_fields = {}
>>> address_fields['line 1'] = fields.String(attribute='addr1')
>>> address_fields['line 2'] = fields.String(attribute='addr2')
>>> address_fields['city'] = fields.String(attribute='city')
>>> address_fields['state'] = fields.String(attribute='state')
>>> address_fields['zip'] = fields.String(attribute='zip')
>>>
>>> resource_fields = {}
>>> resource_fields['name'] = fields.String
>>> resource_fields['billing_address'] = fields.Nested(address_fields)
>>> resource_fields['shipping_address'] = fields.Nested(address_fields)
>>> address1 = {'addr1': '123 fake street', 'city': 'New York', 'state': 'NY', 'zip':
↪'10468'}
>>> address2 = {'addr1': '555 nowhere', 'city': 'New York', 'state': 'NY', 'zip':
↪'10468'}
```

(continues on next page)

(continued from previous page)

```
>>> data = { 'name': 'bob', 'billing_address': address1, 'shipping_address': address2 }
>>>
>>> json.dumps(marshal_with(data, resource_fields))
'{"billing_address": {"line 1": "123 fake street", "line 2": null, "state": "NY", "zip
↪": "10468", "city": "New York"}, "name": "bob", "shipping_address": {"line 1": "555_
↪nowhere", "line 2": null, "state": "NY", "zip": "10468", "city": "New York"}}'
```

This example uses two Nested fields. The Nested constructor takes a dict of fields to render as sub-fields. The important difference between the Nested constructor and nested dicts (previous example), is the context for attributes. In this example, `billing_address` is a complex object that has its own fields and the context passed to the nested field is the sub-object instead of the original data object. In other words: `data.billing_address.addr1` is in scope here, whereas in the previous example `data.addr1` was the location attribute. Remember: Nested and List objects create a new scope for attributes.

Use Nested with List to marshal lists of more complex objects:

```
user_fields = {
    'id': fields.Integer,
    'name': fields.String,
}

user_list_fields = {
    fields.List(fields.Nested(user_fields)),
}
```



---

## Extending Sanic-RESTful-API

---

We realize that everyone has different needs in a REST framework. Sanic-RESTful-API tries to be as flexible as possible, but sometimes you might find that the builtin functionality is not enough to meet your needs. Sanic-RESTful-API has a few different extension points that can help in that case.

### 5.1 Content Negotiation

Out of the box, Sanic-RESTful-API is only configured to support JSON. We made this decision to give API maintainers full control of over API format support; so a year down the road you don't have to support people using the CSV representation of your API you didn't even know existed. To add additional mediatypes to your API, you'll need to declare your supported representations on the `Api` object.

```
app = Sanic(__name__)
api = Api(app)

@api.representation('application/json')
async def output_json(data, code, headers=None):
    resp = make_response(json.dumps(data), code)
    resp.headers.extend(headers or {})
    return resp
```

These representation functions must return a Sanic Response object.

### 5.2 Custom Fields & Inputs

One of the most common additions to Sanic-RESTful-API is to define custom types or fields based on your own data types.

## 5.2.1 Fields

Custom output fields let you perform your own output formatting without having to modify your internal objects directly. All you have to do is subclass `Raw` and implement the `format()` method:

```
class AllCapsString(fields.Raw):
    def format(self, value):
        return value.upper()

# example usage
fields = {
    'name': fields.String,
    'all_caps_name': AllCapsString(attribute=name),
}
```

## 5.2.2 Inputs

For parsing arguments, you might want to perform custom validation. Creating your own input types lets you extend request parsing with ease.

```
def odd_number(value):
    if value % 2 == 0:
        raise ValueError("Value is not odd")

    return value
```

The request parser will also give you access to the name of the argument for cases where you want to reference the name in the error message.

```
def odd_number(value, name):
    if value % 2 == 0:
        raise ValueError("The parameter '{}' is not odd. You gave us the value: {}".
            ↪format(name, value))

    return value
```

You can also convert public parameter values to internal representations:

```
# maps the strings to their internal integer representation
# 'init' => 0
# 'in-progress' => 1
# 'completed' => 2

def task_status(value):
    statuses = [u"init", u"in-progress", u"completed"]
    return statuses.index(value)
```

Then you can use these custom input types in your `RequestParser`:

```
parser = reqparse.RequestParser()
parser.add_argument('OddNumber', type=odd_number)
parser.add_argument('Status', type=task_status)
args = parser.parse_args()
```

## 5.3 Response Formats

To support other representations (xml, csv, html), you can use the `representation()` decorator. You need to have a reference to your API.

```
api = Api(app)

@api.representation('text/csv')
async def output_csv(data, code, headers=None):
    pass
    # implement csv output!
```

These output functions take three parameters, `data`, `code`, and `headers`

`data` is the object you return from your resource method, `code` is the HTTP status code that it expects, and `headers` are any HTTP headers to set in the response. Your output function should return a `sanic.Response` object.

```
def output_json(data, code, headers=None):
    """Makes a Sanic response with a JSON encoded body"""
    resp = make_response(json.dumps(data), code)
    resp.headers.extend(headers or {})
    return resp
```

Another way to accomplish this is to subclass the `Api` class and provide your own output functions.

```
class Api(restful.Api):
    def __init__(self, *args, **kwargs):
        super(Api, self).__init__(*args, **kwargs)
        self.representations = {
            'application/xml': output_xml,
            'text/html': output_html,
            'text/csv': output_csv,
            'application/json': output_json,
        }
```

## 5.4 Resource Method Decorators

There is a property on the `Resource` class called `method_decorators`. You can subclass the `Resource` and add your own decorators that will be added to all method functions in resource. For instance, if you want to build custom authentication into every request.

```
def authenticate(func):
    @wraps(func)
    def wrapper(*args, **kwargs):
        if not getattr(func, 'authenticated', True):
            return func(*args, **kwargs)

        acct = basic_authentication() # custom account lookup function

        if acct:
            return func(*args, **kwargs)

        sanic_restful_api.abort(401)
    return wrapper
```

(continues on next page)

(continued from previous page)

```
class Resource(sanic_restful_api.Resource):
    method_decorators = [authenticate] # applies to all inherited resources
```

Alternatively, you can specify a dictionary of iterables that map to HTTP methods and the decorators will only apply to matching requests.

```
def cache(f):
    @wraps(f)
    def cacher(*args, **kwargs):
        # caching stuff
    return cacher

class MyResource(restful.Resource):
    method_decorators = {'get': [cache]}

    async def get(self, *args, **kwargs):
        return something_interesting(*args, **kwargs)

    async def post(self, *args, **kwargs):
        return create_something(*args, **kwargs)
```

In this case, the caching decorator would only apply to the *GET* request and not the *POST* request.

Since Sanic-RESTful-API Resources are actually Sanic view objects.

## 5.5 Custom Error Handlers

Error handling is a tricky problem. Your Sanic application may be wearing multiple hats, yet you want to handle all Sanic-RESTful-API errors with the correct content type and error syntax as your 200-level requests.

Sanic-RESTful-API will call the `handle_error()` function on any 400 or 500 error that happens on a Sanic-RESTful-API route, and leave other routes alone. You may want your app to return an error message with the correct media type on 404 Not Found errors; in which case, use the `catch_all_404s` parameter of the `Api` constructor.

```
app = Sanic(__name__)
api = sanic_restful_api.Api(app, catch_all_404s=True)
```

Then Sanic-RESTful-API will handle 404s in addition to errors on its own routes.

Sometimes you want to do something special when an error occurs - log to a file, send an email, etc. Use the `got_request_exception()` method to attach custom error handlers to an exception.

```
def log_exception(sender, exception, **extra):
    """ Log an exception to our logging framework """
    sender.logger.debug('Got exception during processing: %s', exception)

from sanic import got_request_exception
got_request_exception.connect(log_exception, app)
```

### 5.5.1 Define Custom Error Messages

You may want to return a specific message and/or status code when certain errors are encountered during a request. You can tell Sanic-RESTful how you want to handle each error/exception so you won't have to fill your API code with try/except blocks.

```
errors = {
    'UserAlreadyExistsError': {
        'message': "A user with that username already exists.",
        'status': 409,
    },
    'ResourceDoesNotExist': {
        'message': "A resource with that ID no longer exists.",
        'status': 410,
        'extra': "Any extra information you want.",
    },
}
```

Including the 'status' key will set the Response's status code. If not specified it will default to 500.

Once your errors dictionary is defined, simply pass it to the Api constructor.

```
app = Sanic(__name__)
api = sanic_restful_api.Api(app, errors=errors)
```

Note: Custom *Exceptions* must have `HTTPException` as the base Exception.



---

Intermediate Usage

---

This page covers building a slightly more complex Sanic-RESTful-API app that will cover out some best practices when setting up a real-world Sanic-RESTful-API-based API. The [Quickstart](#) section is great for getting started with your first Sanic-RESTful-API app, so if you're new to Sanic-RESTful-API you'd be better off checking that out first.

## 6.1 Project Structure

There are many different ways to organize your Sanic-RESTful-API app, but here we'll describe one that scales pretty well with larger apps and maintains a nice level organization.

The basic idea is to split your app into three main parts: the routes, the resources, and any common infrastructure.

Here's an example directory structure:

```
myapi/
  __init__.py
  app.py           # this file contains your app and routes
  resources/
    __init__.py
    foo.py         # contains logic for /Foo
    bar.py         # contains logic for /Bar
  common/
    __init__.py
    util.py        # just some common infrastructure
```

The common directory would probably just contain a set of helper functions to fulfill common needs across your application. It could also contain, for example, any custom input/output types your resources need to get the job done.

In the resource files, you just have your resource objects. So here's what `foo.py` might look like:

```
from sanic_restful_api import Resource

class Foo(Resource):
    async def get(self):
```

(continues on next page)

(continued from previous page)

```
pass
async def post(self):
    pass
```

The key to this setup lies in `app.py`:

```
from sanic import Sanic
from sanic_restful_api import Api
from myapi.resources.foo import Foo
from myapi.resources.bar import Bar
from myapi.resources.baz import Baz

app = Sanic(__name__)
api = Api(app)

api.add_resource(Foo, '/Foo', '/Foo/<string:id>')
api.add_resource(Bar, '/Bar', '/Bar/<string:id>')
api.add_resource(Baz, '/Baz', '/Baz/<string:id>')
```

As you can imagine with a particularly large or complex API, this file ends up being very valuable as a comprehensive list of all the routes and resources in your API. You would also use this file to set up any config values (`before_request()`, `after_request()`). Basically, this file configures your entire API.

The things in the `common` directory are just things you'd want to support your resource modules.

## 6.2 Use With Blueprints

See blueprints in the Sanic documentation for what blueprints are and why you should use them. Here's an example of how to link an `Api` up to a Blueprint.

```
from sanic import Sanic, Blueprint
from sanic_restful_api import Api, Resource, url_for

app = Sanic(__name__)
api_bp = Blueprint('api', __name__)
api = Api(api_bp)

class TodoItem(Resource):
    async def get(self, id):
        return {'task': 'Say "Hello, World!"'}

api.add_resource(TodoItem, '/todos/<int:id>')
app.register_blueprint(api_bp)
```

**Note:** Calling `Api.init_app()` is not required here because registering the blueprint with the app takes care of setting up the routing for the application.

## 6.3 Full Parameter Parsing Example

Elsewhere in the documentation, we've described how to use the `reqparse` example in detail. Here we'll set up a resource with multiple input parameters that exercise a larger amount of options. We'll define a resource named

“User”.

```
from sanic_restful_api import fields, marshal_with, reqparse, Resource

def email(email_str):
    """Return email_str if valid, raise an exception in other case."""
    if valid_email(email_str):
        return email_str
    else:
        raise ValueError('{} is not a valid email'.format(email_str))

post_parser = reqparse.RequestParser()
post_parser.add_argument(
    'username', dest='username',
    location='form', required=True,
    help='The user\'s username',
)
post_parser.add_argument(
    'email', dest='email',
    type=email, location='form',
    required=True, help='The user\'s email',
)
post_parser.add_argument(
    'user_priority', dest='user_priority',
    type=int, location='form',
    default=1, choices=range(5), help='The user\'s priority',
)

user_fields = {
    'id': fields.Integer,
    'username': fields.String,
    'email': fields.String,
    'user_priority': fields.Integer,
    'custom_greeting': fields.FormattedString('Hey there {username}!'),
    'date_created': fields.DateTime,
    'date_updated': fields.DateTime,
    'links': fields.Nested({
        'friends': fields.Url('user_friends'),
        'posts': fields.Url('user_posts'),
    }),
}

class User(Resource):

    @marshal_with(user_fields)
    async def post(self):
        args = post_parser.parse_args()
        user = create_user(args.username, args.email, args.user_priority)
        return user

    @marshal_with(user_fields)
    async def get(self, id):
        args = post_parser.parse_args()
        user = fetch_user(id)
        return user
```

As you can see, we create a `post_parser` specifically to handle the parsing of arguments provided on POST. Let’s step through the definition of each argument.

```
post_parser.add_argument(
    'username', dest='username',
    location='form', required=True,
    help='The user\'s username',
)
```

The username field is the most normal out of all of them. It takes a string from the POST body and converts it to a string type. This argument is required (`required=True`), which means that if it isn't provided, Sanic-RESTful-API will automatically return a 400 with a message along the lines of 'the username field is required'.

```
post_parser.add_argument(
    'email', dest='email',
    type=email, location='form',
    required=True, help='The user\'s email',
)
```

The email field has a custom type of `email`. A few lines earlier we defined an `email` function that takes a string and returns it if the type is valid, else it raises an exception, exclaiming that the email type was invalid.

```
post_parser.add_argument(
    'user_priority', dest='user_priority',
    type=int, location='form',
    default=1, choices=range(5), help='The user\'s priority',
)
```

The `user_priority` type takes advantage of the `choices` argument. This means that if the provided `user_priority` value doesn't fall in the range specified by the `choices` argument (in this case `[0, 1, 2, 3, 4]`), Sanic-RESTful-API will automatically respond with a 400 and a descriptive error message.

That covers the inputs. We also defined some interesting field types in the `user_fields` dictionary to showcase a couple of the more exotic types.

```
user_fields = {
    'id': fields.Integer,
    'username': fields.String,
    'email': fields.String,
    'user_priority': fields.Integer,
    'custom_greeting': fields.FormattedString('Hey there {username}!'),
    'date_created': fields.DateTime,
    'date_updated': fields.DateTime,
    'links': fields.Nested({
        'friends': fields.Url('user_friends', absolute=True),
        'posts': fields.Url('user_friends', absolute=True),
    }),
}
```

First up, there's `fields.FormattedString`.

```
'custom_greeting': fields.FormattedString('Hey there {username}!'),
```

This field is primarily used to interpolate values from the response into other values. In this instance, `custom_greeting` will always contain the value returned from the `username` field.

Next up, check out `fields.Nested`.

```
'links': fields.Nested({
    'friends': fields.Url('user_friends', absolute=True),
```

(continues on next page)

(continued from previous page)

```
'posts': fields.Url('user_posts', absolute=True),
}),
```

This field is used to create a sub-object in the response. In this case, we want to create a `links` sub-object to contain urls of related objects. Note that we passed `fields.Nested` another dict which is built in such a way that it would be an acceptable argument to `marshal()` by itself.

Finally, we used the `fields.Url` field type.

```
'friends': fields.Url('user_friends', absolute=True),
'posts': fields.Url('user_posts', absolute=True),
```

It takes as its first parameter the name of the endpoint associated with the urls of the objects in the `links` sub-object. Passing `absolute=True` ensures that the generated urls will have the hostname included.

## 6.4 Passing Constructor Parameters Into Resources

Your `Resource` implementation may require outside dependencies. Those dependencies are best passed-in through the constructor to loosely couple each other. The `Api.add_resource()` method has two keyword arguments: `resource_class_args` and `resource_class_kwargs`. Their values will be forwarded and passed into your `Resource` implementation's constructor.

So you could have a `Resource`:

```
from sanic_restful_api import Resource

class TodoNext(Resource):
    def __init__(self, **kwargs):
        # smart_engine is a black box dependency
        self.smart_engine = kwargs['smart_engine']

    async def get(self):
        return self.smart_engine.next_todo()
```

You can inject the required dependency into `TodoNext` like so:

```
smart_engine = SmartEngine()

api.add_resource(TodoNext, '/next',
                 resource_class_kwargs={ 'smart_engine': smart_engine })
```

Same idea applies for forwarding `args`.